

## strongSwan - Feature #2371

Include `/etc/swanctl/conf.d/*.conf` from `/etc/swanctl/swanctl.conf`

29.06.2017 00:49 - Gerald Turner

<b>Status:</b>	Closed	<b>Start date:</b>	28.06.2017
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Tobias Brunner	<b>Estimated time:</b>	0.00 hour
<b>Category:</b>	swanctl		
<b>Target version:</b>	5.6.0		
<b>Resolution:</b>	Fixed		
<b>Description</b>			
<p>I use strongSwan from Debian packages on several hosts and the <a href="#">/etc/strongswan.d/*.conf split</a> change that was introduced several years ago has been very convenient, as <code>dpkg</code> treats files like <code>/etc/strongswan.conf</code> as a <code>conffile</code> which requires manual intervention during package upgrades when <code>dpkg</code> detects that these files had been locally modified by the administrator.</p> <p>I recently made the jump from <code>strongswan-starter</code> (<code>charon/stroke</code>) to <code>strongswan-swanctl</code> (<code>charon-systemd/swanctl</code>). It would be nice if <code>swanctl</code> had the same sort of <code>include conf.d/*.conf</code> split.</p> <p>Attached is a minor patch which changes <code>/etc/swanctl/swanctl.conf</code> to include <code>/etc/swanctl/conf.d/*.conf</code>.</p> <p>I've reported this as Debug bug <a href="#">#866326</a>.</p>			

### Associated revisions

#### Revision ae48325a - 27.07.2017 13:20 - Tobias Brunner

swanctl: Include config snippets from conf.d subdirectory

Fixes #2371.

### History

#### #1 - 29.06.2017 10:23 - Tobias Brunner

- Status changed from New to Feedback
- Assignee set to Tobias Brunner
- Target version set to 5.6.0

I agree with the general idea, but `swanctl.conf` is generated from the `swanctl.opt` file. So your patch does not apply. I pushed a couple of patches to the `2371-swanctl-include` branch that implement this.

#### #2 - 03.07.2017 18:55 - Gerald Turner

Tobias Brunner wrote:

I agree with the general idea, but `swanctl.conf` is generated from the `swanctl.opt` file. So your patch does not apply.

Sorry, I hadn't realized `swanctl.conf` was generated. My patch was somehow magically sufficient when applied to Debian's packaging.

I pushed a couple of patches to the `2371-swanctl-include` branch that implement this.

I tested the `2371-swanctl-include` branch and it works great, thanks!

#### #3 - 04.07.2017 09:12 - Tobias Brunner

My patch was somehow magically sufficient when applied to Debian's packaging.

Yes, the generated file is part of the tarball.

I pushed a couple of patches to the `2371-swanctl-include` branch that implement this.

I tested the *2371-swanctl-include* branch and it works great, thanks!

Thanks for testing.

**#4 - 27.07.2017 13:21 - Tobias Brunner**

- *Status changed from Feedback to Closed*

- *Resolution set to Fixed*

**Files**

---

06_include-swanctl-conf-d-dir.patch	945 Bytes	28.06.2017	Gerald Turner
-------------------------------------	-----------	------------	---------------